

# TEST 141/1 serial number: 25

cotton, soiled with red lipstick

**generally:**

<b>according:</b>	Swissatest soiling with lipstick/make-up
<b>suitable:</b>	sensitive to the amount of detergent, to temperature and to the temperature
<b>date of production:</b>	April 2023
<b>durability:</b>	April 2033
<b>storing conditions:</b>	must be well packed and kept in the dark

**specification of base material:**

<b>article 221</b>	cotton fabric, cretonne, bleached, without optical brightener
<b>thread count in cm</b>	warp: 34 weft: 20
<b>yarn count in Tex</b>	warp: 30 weft: 50
<b>weight in g/m<sup>2</sup></b>	200.0
<b>width in cm</b>	167.0
<b>Y-value</b>	88.7
<b>Rem<sub>460nm</sub></b>	86.3

**specification of soiled fabric:**

<b>soiling</b>	one side printed with red lipstick lipstick: mixture of fatty components, and pigment amount of lipstick: about 17 g/m <sup>2</sup>
<b>weight in g/m<sup>2</sup></b>	259.0
<b>width in cm</b>	28.0
<b>Y-value</b>	31.2
<b>Rem<sub>460nm</sub></b>	26.7

**measuring conditions:**

instrument	DC800V (spectrophotometer)
illuminant / observer	D65 / 10°
measuring geometry	d/8°
wavelength range	420 to 750nm
filter	UV barrier at 420nm
measuring diameter	26 mm
gloss	excluded